

YTPPL Series

PP Filter Bag

Product Description

YTPPL series PE filter bag is made of needled felt material, it has good filtration accuracy. The surface after singeing, press polishing and coating treatment, no fiber loses. Hot melt seamless joint technology ensure no side leakage. Optional double layer structure, effectively increase the filter working area, increase the pollutant holding capacity. Double-layer particles intercepting makes outstanding interception efficiency. Economical type filter bag has good cost efficiency, is suitable for low viscosity liquid filtration.

PP Filter Bag

Type	FILTER BAG			
Application	DEA (Diethanolamine)			
Material	PP (Polypropylene)			
Diameter	178 mm / 7 in			
Length	32 in / 800mm			
Micron	1 μm	5 μm	10 μm	25 μm
Flow rate	7 m ³ (MINIMUM)			
Max, temperature	80 °C (MAXIMUM)			
Ring material	Plastic			
Ring type	F			



Carbon Filled Filter Bag

Type	FILTER BAG
Application	DEA (Diethanolamine)
Material	PP (Polypropylene)
Diameter	178 mm / 7 in
Length	32 in / 800mm
Micron	25 μm
Flow rate	7 m ³ (MINIMUM)
Max, temperature	80 °C (MAXIMUM)
Ring material	Plastic
Ring type	F
Chloride reduction	WATER 5000 l / CARBON 100 g
Efficiency, iodine absorption	>/-99.90%
Decolorization, methylene blue	>/160 mg/g
Capacity, benzene adsorption	>/-30%
CTC adsorption	>/-75%
Ph rating	7 TO 9
Chemical compatibility to strong acid and alkali	